

AD 2. AERODROMES**OIBL AD 2.1 AERODROME LOCATION INDICATOR AND NAME**

OIBL - BANDAR LENGEH / Secondary International Aerodrome

OIBL AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	<i>ARP coordinates and site at AD</i>	263153N 0544939E
2	<i>Direction and distance from (city)</i>	NW, 5 NM from Bandar Lengeh
3	<i>Elevation / Reference temperature</i>	75 FT / 37°C
4	<i>MAG VAR / Annual change</i>	2° E (2017) / Information not available
5	<i>AD Administration, address, telephone, telefax, telex, AFS</i>	Iran Airports & Air Navigation Company (IAC) Bandar Lengeh Airport P.O. BOX: 1181, Postal code: 79718 Bandar Lengeh - Islamic Republic of Iran Tel: +9876- 44223111, 44223128 Fax: +9876 - 44223266 Telex: NIL AFS: NIL
6	<i>Types of traffic permitted (IFR/VFR)</i>	IFR/VFR
7	<i>Remarks</i>	NIL

OIBL AD 2.3 OPERATIONAL HOURS

1	<i>AD Administration</i>	0400-1045
2	<i>Customs and immigration</i>	O/R
3	<i>Health and sanitation</i>	O/R
4	<i>AIS Briefing Office</i>	NIL
5	<i>ATS Reporting Office (ARO)</i>	Service available by ATS
6	<i>MET Briefing Office</i>	NIL
7	<i>ATS</i>	O/R
8	<i>Fuelling</i>	0330-1130, other times O/R
9	<i>Handling</i>	Available during main carrier schedule flights, other times O/R
10	<i>Security</i>	H24
11	<i>De-icing</i>	NIL
12	<i>Remarks</i>	PPR at least 72 HR before EOBT from OIKB

OIBL AD 2.4 HANDLING SERVICES AND FACILITIES

1	<i>Cargo - handling facilities</i>	Available by main carrier
2	<i>Fuel / oil types</i>	Jet A1
3	<i>Fuelling facilities/capacity</i>	1 truck, 20000 litres, 8.5 litres/sec
4	<i>De - icing facilities</i>	NIL
5	<i>Hanger space for visiting aircraft</i>	NIL
6	<i>Repair facilities for visiting aircraft</i>	NIL
7	<i>Remarks</i>	NIL

OIBL AD 2.5 PASSENGER FACILITIES

1	<i>Hotels</i>	Available in the city
2	<i>Restaurants</i>	Available in the city
3	<i>Transportation</i>	Taxis
4	<i>Medical facilities</i>	Hospital in the city
5	<i>Bank and Post Office</i>	Bank available in the city and airport, Post Office available in the city
6	<i>Tourist Office</i>	Available in the city
7	<i>Remarks</i>	NIL

OIBL AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	<i>AD category for fire fighting</i>	CAT 5
2	<i>Rescue equipment</i>	Available in accordance with AD category for fire fighting
3	<i>Capability for removal of disabled aircraft</i>	NIL
4	<i>Remarks</i>	NIL

OIBL AD 2.7 SEASONAL AVAILABILITY - CLEARING

All seasons / Not applicable

OIBL AD 2.8 APRONS, TAXIWAYS

1	<i>Apron surface and strength</i>	Surface: Asphalt Strength: Information not available
2	<i>Taxiway width, surface and strength</i>	Width: 23 M Surface: Asphalt Strength: Information not available
3	<i>Remarks</i>	Apron dimension: 192 x 86 M

OIBL AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	<i>Use of aircraft stand ID signs, TWY guide lines and parking guidance system of aircraft stands</i>	NIL
2	<i>RWY and TWY markings and LGT</i>	RWY: Designation, THR, TDZ, centre line, edge & RWY end marked TWY: Centre line, edge marked Holding position at TWY/RWY intersection marked
3	<i>Stop bars</i>	NIL
4	<i>Remarks</i>	NIL

OIBL AD 2.10 AERODROME OBSTACLES

<i>In approach / TKOF areas</i>			<i>In circling area and at AD</i>		<i>Remarks</i>
1			2		
<i>RWY/Area affected</i>	<i>Obstacle type Elevation/HGT Markings/LGT</i>	<i>Coordinates</i>	<i>Obstacle type Elevation / HGT Markings/LGT</i>	<i>Coordinates</i>	
a	b	c	a	b	
08 / TKOF 26 / APCH	NDB antenna 99 FT AGL LGTD	263150.5N 0545000.0E	Water tank 61 FT AGL MARKED	263148N 0544951E	
← 26 / TKOF 08 / APCH	Antenna 243 FT AMSL LGTD-Marked	263118N 0544628E	Antenna 148 FT AGL NIL AD control tower BLDG 92 FT AGL NIL	263132N 0544830E 263147N 0544943E	

OIBL AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	<i>Associated MET Office</i>	Bandar Lengeh
2	<i>Hours of service</i> <i>MET Office outside hours</i>	0300 - 2000 O/R
5	<i>Briefing/consultation provided</i>	In person and by telephone: +9876 - 44224666
9	<i>ATS units provided with information</i>	Bandar Lengeh AFIS
10	<i>Additional information (limitation of service, etc.)</i>	METAR issuance intervals: 30 minutes during 1 hour before and after scheduled flights and other time every 1 hour

Note: Subject concerning item 3,4 and 6 to 8 not available.

OIBL AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

<i>Designations RWY NR</i>	<i>TRUE BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength(PCN) and surface of RWY and SWY</i>	<i>THR coordinates THR geoid undulation</i>	<i>THR elevation and highest elevation of TDZ of precision APP RWY</i>
1	2	3	4	5	6
08	080.63°GEO	2500 x 45	40/F/B/X/T Asphalt	263149.63N 0544844.78E GUND -100 FT	THR 66 FT
26	260.64°GEO	2500 x 45	40/F/B/X/T Asphalt	263202.86N 0545013.89E GUND -100 FT	THR 75 FT
<i>Slope of RWY - SWY</i>	<i>SWY dimensions (M)</i>	<i>CWY dimensions (M)</i>	<i>Strip dimensions (M)</i>	<i>OFZ</i>	<i>Remarks</i>
7	8	9	10	11	12
0.11 %	146 x 45	146 x 150	NIL	NIL	NIL
0.11 %	143 x 45	143 x 150	NIL	NIL	NIL

OIBL AD 2.13 DECLARED DISTANCES

<i>RWY Designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Remarks</i>
1	2	3	4	5	6
08	2500	2646	2646	2500	NIL
26	2500	2643	2643	2500	NIL

OIBL AD 2.14 APPROACH AND RUNWAY LIGHTING

NIL

OIBL AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	<i>ABN location, characteristics and hours of operation</i>	NIL
2	<i>LDI location and LGT Anemometer location and LGT</i>	NIL
3	<i>TWY edge and centre line lighting</i>	NIL
4	<i>Secondary power supply/switch-over time</i>	Available Switch-over time: 10 - 15 sec
5	<i>Remarks</i>	NIL

OIBL AD 2.16 HELICOPTER LANDING AREA

NIL

OIBL AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	Bandar Lengeh ATZ: A circle, radius 7 NM centered at 263153N 0544939E (ARP)
2	<i>Vertical limits</i>	4000 FT AMSL
3	<i>Airspace classification</i>	G
4	<i>ATS unit call sign Language(s)</i>	Bandar Lengeh Information English / Persian
5	<i>Transition altitude</i>	4000 FT AMSL
6	<i>Remarks</i>	NIL

OIBL AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
AFIS	Bandar Lengeh Information	122.550 MHZ 121.700 MHZ	HS	

OIBL AD 2.19 RADIO NAVIGATION AND LANDING AIDS

<i>Type of aid, CAT of ILS (For VOR/ILS, give VAR)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours Of operation</i>	<i>Site of transmitting antenna coordinates</i>	<i>Elevation of DME transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
NDB	LEN	408 KHZ	H24	263150.5N 0545000.0E		
VOR/DME (2° E /2017)	LEN	114.800 MHZ CH 95X	H24	263210.1N 0545104.2E	72 FT	
VOR unusable in the FLW area counter clockwise direction beyond 40 NM: 1- 060° - 040°, BLW 5000 FT AMSL 040° - 360°, BLW 7500 FT AMSL 360° - 340°, BLW 9000 FT AMSL 340° - 310°, BLW 7000 FT AMSL 310° - 280°, BLW 6000 FT AMSL 280° - 260°, BLW 4000 FT AMSL						2- 3- 4- 5- 6-

OIBL AD 2.20 LOCAL TRAFFIC REGULATIONS

NIL

OIBL AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

OIBL AD 2.22 FLIGHT PROCEDURES

Traffic pattern is defined as below:

- a. For fighter and heavy fix wing ACFT 1600 feet,
- b. For other fix wing ACFT 1100 feet and
- c. For helicopter 600 feet.

Note: see AD 1.1.

OIBL AD 2.23 ADDITIONAL INFORMATION

- 1- Strolling animals exist on the movement area.
- 2- Canal exist before THR and both side of RWY 08 at DIST 60 M FM edge of RWY with depth 1.5 M and width 3 M.

OIBL AD 2.24 CHARTS RELATED TO AN AERODROME

Aerodrome Chart – ICAO -----	AD 2 OIBL ADC
Standard Departure Chart - Instrument – ICAO -----	AD 2 OIBL SID 1-1
	AD 2 OIBL SID 1-2
	AD 2 OIBL SID 1-3
	AD 2 OIBL SID 2-1
	AD 2 OIBL SID 2-2
Standard Arrival Chart - Instrument – ICAO -----	AD 2 OIBL STAR 1-1
	AD 2 OIBL STAR 1-2
	AD 2 OIBL STAR 1-3
	AD 2 OIBL STAR 1-4
	AD 2 OIBL STAR 2-1
Instrument Approach Chart – ICAO -----	AD 2 OIBL IAC 2-1
	AD 2 OIBL IAC 2-2
	AD 2 OIBL IAC 3-1
	AD 2 OIBL IAC 3-2
	AD 2 OIBL IAC 4-1
	AD 2 OIBL IAC 4-2
	AD 2 OIBL IAC 4-3