

AD 2. AERODROMES**OISF AD 2.1 AERODROME LOCATION INDICATOR AND NAME**

OISF - FASA / National

OISF AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	<i>ARP coordinates and site at AD</i>	285334N 0534325E
2	<i>Direction and distance from (city)</i>	SE, 10 KM from Fasa
3	<i>Elevation / Reference temperature</i>	4293 FT / 40°C
4	<i>MAG VAR / Annual change</i>	2° E (2007) / Information not available
5	<i>AD Administration, address, telephone, telefax, telex, AFS</i>	Iran Airports & Air Navigation Company (IAC) Fasa Airport Fasa, Islamic Republic of Iran Tel: +9871 – 53406213-4 Telefax: +9871 – 53406191 Telex: NIL AFS: NIL
6	<i>Types of traffic permitted (IFR/VFR)</i>	VFR / IFR
7	<i>Remarks</i>	NIL

OISF AD 2.3 OPERATIONAL HOURS

1	<i>AD Administration</i>	0330 – 1030
2	<i>Customs and immigration</i>	NIL
3	<i>Health and sanitation</i>	NIL
4	<i>AIS Briefing Office</i>	NIL
5	<i>ATS Reporting Office (ARO)</i>	Service available by ATS
6	<i>MET Briefing Office</i>	NIL
7	<i>ATS</i>	O/R
8	<i>Fuelling</i>	NIL
9	<i>Handling</i>	NIL
10	<i>Security</i>	H24
11	<i>De-icing</i>	NIL
12	<i>Remarks</i>	PPR at least 48 HR from Shiraz aerodrome in advance of EOBT

OISF AD 2.4 HANDLING SERVICES AND FACILITIES

NIL

OISF AD 2.5 PASSENGER FACILITIES

1	<i>Hotels</i>	Available in the city
2	<i>Restaurants</i>	Available in the city
3	<i>Transportation</i>	Taxis
4	<i>Medical facilities</i>	Hospital in the city
5	<i>Bank and Post Office</i>	Available in the city
6	<i>Tourist Office</i>	Available in the city
7	<i>Remarks</i>	NIL

OISF AD 2.6 RESCUE AND FIRE FIGHTING SERVICES
NIL**OISF AD 2.7 SEASONAL AVAILABILITY - CLEARING**
All seasons / Not applicable**OISF AD 2.8 APRONS, TAXIWAYS**

1	<i>Apron designation, surface and strength</i>	Surface: Asphalt Strength: Information not available
2	<i>Taxiway designation, width, surface and strength</i>	Width: 15 M Surface: Asphalt Strength: Information not available
→ 3	<i>Altimeter checkpoint location and elevation</i>	NIL
→ 4	<i>VHF omnidirectional radio range (VOR) checkpoints</i>	NIL
→ 5	<i>INS checkpoints</i>	NIL
6	<i>Remarks</i>	Apron dimension: 70 x 70 M

OISF AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	<i>Use of aircraft stand ID signs, TWY guide lines and parking guidance system of aircraft stands</i>	NIL
2	<i>RWY and TWY markings and LGT</i>	RWY: Designation, THR, centre line, edge & RWY end marked. TWY: Centre line marked.
3	<i>Stop bars</i>	NIL
4	<i>Remarks</i>	NIL

OISF AD 2.10 AERODROME OBSTACLES
NIL

OISF AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Fasa
2	Hours of service MET Office outside hours	H24 --
3	Office responsible for terminal aerodrome forecast (TAF) preparation Periods of validity	Information not available
4	Trend forecast Interval of issuance	Information not available
5	Briefing/consultation provided	Information not available
6	Flight documentation Language(s) used	Information not available
7	Charts and other information available for briefing or consultation	Information not available
8	Supplementary equipment available for providing information	Information not available
9	ATS units provided with information	Fasa AFIS
10	Additional information (limitation of service, etc.)	NIL

OISF AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
14	139.05°GEO	1946 x 30	10F/D/X/U Asphalt	285355.78N 0534259.98E GUND -47 FT	4293 FT
32	319.05°GEO	1946 x 30	10F/D/X/U Asphalt	285308.05N 0534347.04E GUND -47 FT	4246 FT
Slope of RWY - SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
0.7 %	55 x 30	55 x 150	NIL	NIL	NIL
0.7 %	62 x 30	62 x 150	NIL	NIL	NIL

OISF AD 2.13 DECFASAED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
14	1946	2001	2001	1946	NIL
32	1946	2008	2008	1946	NIL

OISF AD 2.14 APPROACH AND RUNWAY LIGHTING

Not provided

OISF AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	<i>ABN/IBN location, characteristics and hours of operation</i>	NIL
2	<i>LDI location and LGT</i> <i>Anemometer location and LGT</i>	NIL
3	<i>TWY edge lights, centre line lights and stop bars (if any)</i>	NIL
4	<i>Secondary power supply/switch-over time</i>	NIL
5	<i>Remarks</i>	NIL

OISF AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	Fasa ATZ: A circle, radius 7 NM centered at 285334N 0534325E (ARP).
2	<i>Vertical limits</i>	8000 FT MSL
3	<i>Airspace classification</i>	G
4	<i>ATS unit call sign</i> <i>Language(s)</i>	Fasa Information English / Persian
5	<i>Transition altitude</i>	10000 FT MSL
6	<i>Remarks</i>	Transition level: FL 120

OISF AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
AFIS	Fasa Information	118.950 MHZ	HS	

OISF AD 2.19 RADIO NAVIGATION AND LANDING AIDS

<i>Type of aid, CAT of ILS (For VOR/ILS, give VAR)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Site of transmitting antenna coordinates</i>	<i>Elevation of DME transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
NDB	FSA	216 KHZ	HS	285346.3N 0534322.0E		

OISF AD 2.20 LOCAL TRAFFIC REGULATIONS

NIL

OISF AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

OISF AD 2.22 FLIGHT PROCEDURES**Traffic pattern is defined as below:**

- For fighter and heavy fix wing ACFT 5800 feet,
- For other fix wing ACFT 5300 feet and
- For helicopter 4800 feet.

Note: see AD 1.1.

OISF AD 2.23 ADDITIONAL INFORMATION

- 1- Intensive bird's accumulation exists in the vicinity of AD.
- 2- Strolling animals observed on the movement area, caution advise.

OISF AD 2.24 CHARTS RELATED TO AN AERODROME

Aerodrome Chart – ICAO.....	AD 2 OISF ADC
Instrument Approach Chart – ICAO	AD 2 OISF IAC 4-1
	AD 2 OISF IAC 4-2