

AD 2. AERODROMES**OIZS AD 2.1 AERODROME LOCATION INDICATOR AND NAME****OIZS - SARAVAN / National****OIZS AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	<i>ARP coordinates and site at AD</i>	272507N 0621858E
2	<i>Direction and distance from (city)</i>	5 KM north of the city.
3	<i>Elevation / Reference temperature</i>	3943 FT / Information not available
4	<i>MAG VAR / Annual change</i>	2° E / Information not available
5	<i>AD Administration, address, telephone, telefax, telex, AFS</i>	Iran Airports & Air Navigation Company (IAC) Saravan Airport P.O.BOX: 99515-169 Saravan, Islamic Republic of Iran Tel: +9854- 37630500-4, 37640500-9 Telefax: +9854- 37640501 Telex: NIL AFS: NIL
6	<i>Types of traffic permitted (IFR/VFR)</i>	IFR/VFR
7	<i>Remarks</i>	NIL

OIZS AD 2.3 OPERATIONAL HOURS

1	<i>AD Administration</i>	0430-1030
2	<i>Customs and immigration</i>	NIL
3	<i>Health and sanitation</i>	NIL
4	<i>AIS Briefing Office</i>	NIL
5	<i>ATS Reporting Office (ARO)</i>	Service available by ATS
6	<i>MET Briefing Office</i>	NIL
7	<i>ATS</i>	O/R
8	<i>Fuelling</i>	NIL
9	<i>Handling</i>	Available during main carrier scheduled flights, other times O/R
10	<i>Security</i>	H24
11	<i>De-icing</i>	NIL
12	<i>Remarks</i>	PPR at least 72 HR before EOBT from OIZH

OIZS AD 2.4 HANDLING SERVICES AND FACILITIES

NIL

OIZS AD 2.5 PASSENGER FACILITIES

1	<i>Hotels</i>	Available in the city
2	<i>Restaurants</i>	Available in the city
3	<i>Transportation</i>	Taxis
4	<i>Medical facilities</i>	Hospital in the city
5	<i>Bank and Post Office</i>	Available in the city
6	<i>Tourist Office</i>	Available in the city
7	<i>Remarks</i>	NIL

OIZS AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	<i>AD category for fire fighting</i>	CAT 2
2	<i>Rescue equipment</i>	Available in accordance with AD category for fire fighting.
3	<i>Capability for removal of disabled aircraft</i>	NIL
4	<i>Remarks</i>	CAT 6 available for those flights which get prior permission at least 72HR before EOBT from OIZH AD

OIZS AD 2.7 SEASONAL AVAILABILITY - CLEARING

All seasons / Not applicable

OIZS AD 2.8 APRONS, TAXIWAYS

1	<i>Apron surface and strength</i>	Surface: Asphalt Strength: Information not available
2	<i>Taxiway width, surface and strength</i>	Width: 23 M Surface: Asphalt Strength: Information not available
3	<i>Remarks</i>	Apron dimension: 120 x 80 M

OIZS AD 2.9 SURFACE MOVEMENT GUIDANCE AND**CONTROL SYSTEM AND MARKINGS**

1	<i>Use of aircraft stand ID signs, TWY guide line stand parking guidance system of aircraft stands</i>	Guide lines at apron.
2	<i>RWY and TWY markings and LGT</i>	RWY 13/31 Marking: Designation, THR, TDZ, center line, aiming point, RWY edge & stopway & end are marked. RWY 13/31 Lighting: NIL TWY Marking: all TWY edge & centerline are marked. TWY Lighting: NIL
3	<i>Stop bars</i>	NIL
4	<i>Remarks</i>	NIL

OIZS AD 2.10 AERODROME OBSTACLES

NIL

OIZS AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Saravan
2	Hours of service MET Office outside hours	0430 - 1030 --
9	ATS units provided with information	Saravan AFIS

Note: Subject concerning item 3 to 8 and 10 not available.

OIZS AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RW (M)	Strength (PCN) and surface of RWY and SWY	THR coordinates Geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
13	132.65°GEO	3300 x 45	20/F/B/Y/T Asphalt	272544.12N 0621814.42E GUND -89FT	3936 FT
31	312.66°GEO	3300 x 45	20/F/B/Y/T Asphalt	272431.49N 0621942.75E GUND -89FT	3943 FT
Slope of RWY - SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
0.065 %	60 x 45	60 x 150	NIL	NIL	AD Reference code:4C
0.065 %	60 x 45	60 x 150	NIL	NIL	NIL

OIZS AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
13	3300	3360	3360	3300	NIL
31	3300	3360	3360	3300	NIL

OIZS AD 2.14 APPROACH AND RUNWAY LIGHTING

NIL

OIZS AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

NIL

OIZS AD 2.16 HELICOPTER LANDING AREA

Information not available

OIZS AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	Saravan ATZ: A circle radius 7 NM centred at 272430N 0621914E (ARP)
2	<i>Vertical limits</i>	7500 FT MSL
3	<i>Airspace classification</i>	G
4	<i>ATS unit call sign Language(s)</i>	Saravan Information English / Persian
5	<i>Transition altitude</i>	8000 FT AMSL
6	<i>Remarks</i>	NIL

OIZS AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
AFIS	Saravan Information	126.775 MHZ	HS	

OIZS AD 2.19 RADIO NAVIGATION AND LANDING AIDS

<i>Type of aid, CAT of ILS (For VOR/ILS, give VAR)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Site of transmitting antenna coordinates</i>	<i>Elevation of DME transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
NDB / DME	SRN	300 KHZ CH 88X (114.100 MHZ)	H24	272454.1N 0621931.5E		

OIZS AD 2.20 LOCAL TRAFFIC REGULATIONS

NIL

OIZS AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

OIZS AD 2.22 FLIGHT PROCEDURES**Traffic pattern is defined as below:**

- For fighter and heavy fix wing ACFT 5500 feet,
- For other fix wing ACFT 5000 feet and
- For helicopter 4500 feet.

Note: see AD 1.1.

OIZS AD 2.23 ADDITIONAL INFORMATION

NIL

OIZS AD 2.24 CHARTS RELATED TO AN AERODROME

Aerodrome Chart – ICAO	AD 2 OIZS ADC
Standard Departure Chart - Instrument - ICAO	AD 2 OIZS SID 2-1
Arrival Chart - Instrument – ICAO	AD 2 OIZS STAR 2-1
Instrument Approach Chart – ICAO	AD 2 OIZS IAC 4-1
	AD 2 OIZS IAC 4-2
	AD 2 OIZS IAC 4-3