

AD 2. AERODROMES**OIFH AD 2.1 AERODROME LOCATION INDICATOR AND NAME****OIFH – ESFAHAN / SHAHID VATAN POUR AIR BASE / Military****OIFH AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	<i>ARP coordinates and site at AD</i>	323415N 0514145E
2	<i>Direction and distance from (city)</i>	S, 9 KM from Esfahan
3	<i>Elevation / Reference temperature</i>	5310 FT / 36 °C
4	<i>MAG VAR / Annual change</i>	3° E (1997) / Information not available
5	<i>AD Administration, address, telephone, telefax, telex, AFS</i>	Islamic Republic Iranian Army Aviation (IRIAA) Training Centre Shahid Vatan Pour Air Base Esfahan - Islamic Republic of Iran Tel: 0311 – 6684090, 6683181 Telefax: NIL Telex: NIL AFS: NIL
6	<i>Types of traffic permitted (IFR/VFR)</i>	VFR
7	<i>Remarks</i>	For other military and civil aircraft, Prior permission is required from Islamic Republic Iranian Army Aviation (IRIAA) Training Centre.

OIFH AD 2.3 OPERATIONAL HOURS

1	<i>AD Administration</i>	0300 – 1500
2	<i>Customs and immigration</i>	NIL
3	<i>Health and sanitation</i>	NIL
4	<i>AIS Briefing Office</i>	HJ
5	<i>ATS Reporting Office (ARO)</i>	Service available by ATS
6	<i>MET Briefing Office</i>	HJ
7	<i>ATS</i>	HJ
8	<i>Fuelling</i>	HJ
9	<i>Handling</i>	HJ
10	<i>Security</i>	H24
11	<i>De-icing</i>	NIL
12	<i>Remarks</i>	NIL

OIFH AD 2.4 HANDLING SERVICES AND FACILITIES

1	<i>Cargo - handling facilities</i>	Available by IRIAA
2	<i>Fuel / oil types</i>	JP4
3	<i>Fuelling facilities/capacity</i>	JP4: Four trucks, 20000 litres and five trucks 12000 litres, 30 litres/sec.
4	<i>De - icing facilities</i>	NIL
5	<i>Hangar space for visiting aircraft</i>	NIL
6	<i>Repair facilities for visiting aircraft</i>	NIL
7	<i>Remarks</i>	NIL

→ OIFH AD 2.5 PASSENGER FACILITIES

1	<i>Hotels</i>	AVBL in the city, Rest house in the base
2	<i>Restaurants</i>	NIL
3	<i>Transportation</i>	NIL
4	<i>Medical facilities</i>	Clinic with first AIDs and ambulance AVBL, Hospital in the city
5	<i>Bank and Post Office</i>	NIL
6	<i>Tourist Office</i>	NIL
7	<i>Remarks</i>	NIL

OIFH AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	<i>AD category for fire fighting</i>	Information not available
2	<i>Rescue equipment</i>	Military fire fighting vehicle AVBL
3	<i>Capability for removal of disabled aircraft</i>	Tow car available for light aircraft
4	<i>Remarks</i>	NIL

→ OIFH AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	<i>Types of clearing equipment</i>	Information not available
2	<i>Clearance priorities</i>	1- RWY 24/06 2- TWY E, W 3- Apron
3	<i>Remarks</i>	NIL

OIFH AD 2.8 APRONS, TAXIWAYS

1	<i>Apron surface and strength</i>	Surface: Concrete Strength: Information not available
2	<i>Taxiway width, surface and strength</i>	Width: TWY E, W are 90FT Surface: Concrete Strength: Information not available
3	<i>Remarks</i>	Apron dimension: 984 X 3739 FT

OIFH AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

NIL

OIFH AD 2.10 AERODROME OBSTACLES

NIL

OIFH AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

-Meteorological services available in the aerodrome by IRIAA meteorological office.

OIFH AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

<i>Designations RWY</i>	<i>NR</i>	<i>TRUE & MAG BRG</i>	<i>Dimensions of RWY (FT)</i>	<i>Strength(PCN) and surface of RWY and SWY</i>	<i>THR coordinates</i>	<i>THR elevation and highest elevation of TDZ of precision APP RWY</i>
1	2	3	4	5	6	
06		063° GEO 060° MAG	3215 x 75	NIL Asphalt/ concrete	323356.60N 0514111.00E	NIL
24		243° GEO 240° MAG	3215 x 75	NIL Asphalt/ concrete	323407.70N 0514137.30E	NIL
<i>Slope of RWY – SWY</i>		<i>SWY dimensions (FT)</i>	<i>CWY dimensions (FT)</i>	<i>Strip dimensions (FT)</i>	<i>OFZ</i>	<i>Remarks</i>
7	8	9	10	11	12	
NIL	NIL	NIL	NIL	NIL	NIL	- RWY 06/24 is Non – instrument RWY with code number and letter 1A. It is usable in VMC and during day light. - The first 1640 FT of RWY 06 is concrete.
NIL	NIL	NIL	NIL	NIL	NIL	

OIFH AD 2.13 DECLARED DISTANCES

NIL

OIFH AD 2.14 APPROACH AND RUNWAY LIGHTING

NIL

OIFH AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	<i>ABN location, characteristics and hours of operation</i>	At top of the aerodrome control tower
2	<i>LDI location and LGT Anemometer location and LGT</i>	NIL
3	<i>TWY edge and centre line lighting</i>	NIL
4	<i>Secondary power supply/switch-over time</i>	Available Switch-over time: After 6 minutes
5	<i>Remarks</i>	NIL

OIFH AD 2.16 HELICOPTER LANDING AREA

NIL

OIFH AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	Shahid Vatan Pour ATZ: A circle, radius 3 NM in east, south, west and radius 1 NM in north centred at 323415N 0514145E (ARP)
2	<i>Vertical limits</i>	6500 FT AMSL
3	<i>Airspace classification</i>	Military
4	<i>ATS unit call sign Language(s)</i>	Shahid Vatan Pour Tower English / Persian
5	<i>Transition altitude</i>	NIL
6	<i>Remarks</i>	NIL

OIFH AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
TWR	Shahid Vatan Pour Tower	129.750 MHZ 362.150 MHZ	HJ HJ	

→ **OIFH AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

<i>Type of aid, CAT of ILS (For VOR/ILS, give VAR)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Site of transmitting antenna coordinates</i>	<i>Elevation of DME transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
NDB	ESH	413 KHZ	HJ	323359.4N 0514137.3E		

OIFH AD 2.20 LOCAL TRAFFIC REGULATIONS

-All arrival to and departure from Shahid Vatan Pour aerodrome are subject to Esfahan Approach clearances.

OIFH AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

OIFH AD 2.22 FLIGHT PROCEDURES

NIL

OIFH AD 2.23 ADDITIONAL INFORMATION

1-Strolling dog observed on the movement area, caution advise.

→ 2-Helicopter PADs: A(alfa): West of apron, surface: asphalt, dimension: 269X98 FT
B(bravo): West of apron, surface: asphalt, dimension: 240X394 FT
C(charli): East of apron, surface: asphalt, dimension: 1247X394 FT
D(delta): East of apron, surface: asphalt, dimension: 318X98 FT

OIFH AD 2.24 CHARTS RELATED TO AN AERODROME

NIL