

AD 2. AERODROMES**OIZI AD 2.1 AERODROME LOCATION INDICATOR AND NAME****OIZI - IRAN SHAHR / National****OIZI AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	<i>ARP coordinates and site at AD</i>	271344N 0604316E
2	<i>Direction and distance from (city)</i>	NW, 2 NM from Iran shahr
3	<i>Elevation / Reference temperature</i>	1983 FT / 44.9°C
4	<i>MAG VAR / Annual change</i>	2° E (2017)
5	<i>AD Administration, address, telephone, telefax, telex, AFS</i>	Iranian Airports & Air Navigation Company (IAC) Iran shahr Airport P.O. BOX: 99135 - 113 Iran shahr - Islamic Republic of Iran Tel: +9854 - 37221935-7 Telefax: +9854 - 37227746 Telex: NIL AFS: NIL
6	<i>Types of traffic permitted (IFR/VFR)</i>	IFR/VFR
7	<i>Remarks</i>	NIL

OIZI AD 2.3 OPERATIONAL HOURS

1	<i>AD Administration</i>	HJ
2	<i>Customs and immigration</i>	NIL
3	<i>Health and sanitation</i>	NIL
4	<i>AIS Briefing Office</i>	NIL
5	<i>ATS Reporting Office (ARO)</i>	Service available by ATS
6	<i>MET Briefing Office</i>	NIL
7	<i>ATS</i>	O/R
8	<i>Fuelling</i>	NIL
9	<i>Handling</i>	Available during main carrier schedule flights, other times O/R
10	<i>Security</i>	H24
11	<i>De-icing</i>	NIL
12	<i>Remarks</i>	PPR at least 72 HR before EOBT from OIZH

OIZI AD 2.4 HANDLING SERVICES AND FACILITIES

1	<i>Cargo - handling facilities</i>	Available by main carrier
2	<i>Fuel / oil types</i>	NIL
3	<i>Fuelling facilities/capacity</i>	jet A1: 1 truck 20000 litres , 20 litres/sec, limitation: - Scheduled flight: no limitation, - non- scheduled flight: max 8000 litres available for each aircraft,
4	<i>De - icing facilities</i>	NIL
5	<i>Hangar space for visiting aircraft</i>	NIL
6	<i>Repaire facilities for visiting aircraft</i>	NIL
7	<i>Remarks</i>	NIL

OIZI AD 2.5 PASSENGER FACILITIES

1	<i>Hotels</i>	Available in the city
2	<i>Restaurants</i>	Available in the city
3	<i>Transportation</i>	Taxis
4	<i>Medical facilities</i>	Hospital in the city
5	<i>Bank and Post Office</i>	Available in the city
6	<i>Tourist Office</i>	Available in the city
7	<i>Remarks</i>	NIL

OIZI AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	<i>AD category for fire fighting</i>	CAT 2
2	<i>Rescue equipment</i>	Available in accordance with AD category for fire fighting
3	<i>Capability for removal of disabled aircraft</i>	NIL
4	<i>Remarks</i>	CAT 5 available for those flight which get prior permission at least 72 HR before EOBT from OIZH

OIZI AD 2.7 SEASONAL AVAILABILITY - CLEARING

All seasons / Not applicable

OIZI AD 2.8 APRONS, TAXIWAYS

1	<i>Apron surface and strength</i>	Surface: Asphalt Strength: Information not available
2	<i>Taxiway width, surface and strength</i>	Width: 23M Surface: Asphalt Strength: Information not available
3	<i>Remarks</i>	Apron dimension: 142 x 91 M

OIZI AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	<i>Use of aircraft stand ID signs, TWY guide lines and parking guidance system of aircraft stands</i>	NIL
2	<i>RWY and TWY markings and LGT</i>	RWY: Designation, THR, TDZ, centre line, edge & RWY end marked. THR, edge & RWY end lighted. TWY: Edge lighted. Centre line, edge marked.
3	<i>Stop bars</i>	NIL
4	<i>Remarks</i>	NIL

OIZI AD 2.10 AERODROME OBSTACLES

<i>In approach / TKOF areas</i>			<i>In circling area and at AD</i>		<i>Remarks</i>
1			2		3
<i>RWY/Area affected</i>	<i>Obstacle type Elevation/ HGT Markings/LGT</i>	<i>Coordinates</i>	<i>Obstacle type Elevation / HGT Markings/LGT</i>	<i>Coordinates</i>	
a	b	c	a	b	
17/APCH 35/TKOF	Wall 1991 FT AMSL NIL	271501N 0604301E 271502N 0604309E	NDB antenna 138 FT AGL LGTD Power Line (Mast) 2032 FT AMSL (40 FT AGL) NIL Power Line (Mast) 2036 FT AMSL (40 FT AGL) NIL	271358.2N 0604303.2E 271504N 0604309E 271509N 0604311E	

OIZI AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	<i>Associated MET Office</i>	Iran shahr
2	<i>Hours of service MET Office outside hours</i>	H24 --
9	<i>ATS units provided with information</i>	Iran shahr AFIS

Note: Subject concerning item 3 to 8 and 10 not available.

OIZI AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

<i>Designations RWYNR</i>	<i>TRUE BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength(PCN) and surface of RWY and SWY</i>	<i>THR coordinates THR Geoid undulation</i>	<i>THR elevation and highest elevation of TDZ of precision APP RWY</i>
1	2	3	4	5	6
17	170.93°GEO	2339 x 45	30/F/B/Y/T Asphalt	271447.57N 0604305.56E GUND -80 FT	THR 1983 FT
35	350.93°GEO	2339 x 45	30/F/B/Y/T Asphalt	271332.50N 0604318.96E GUND -80 FT	THR 1926 FT
<i>Slope of RWY - SWY</i>	<i>SWY Dimensions (M)</i>	<i>CWY Dimensions (M)</i>	<i>Strip Dimensions (M)</i>	<i>OFZ</i>	<i>Remarks</i>
7	8	9	10	11	12
0.74%	74 x 45	74 x 150	NIL	NIL	THR RWY 17 displaced 140 M DTHR RWY 17 coordinate: 271443.05N 0604306.35E ELEV:1978 FT AMSL
0.74%	NIL	197 x 150	NIL	NIL	

OIZI AD 2.13 DECLARED DISTANCES

<i>RWY Designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Remarks</i>
1	2	3	4	5	6
17	2339	2413	2413	2199	NIL
35	2339	2536	2339	2339	NIL

OIZI AD 2.14 APPROACH AND RUNWAY LIGHTING

<i>RWY Designator</i>	<i>APCH LGT type LEN INTST</i>	<i>THR LGT colour WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ LGT LEN</i>	<i>RWY Centre Line LGT LEN, spacing, colour INTST</i>	<i>RWY edge LGT LEN, spacing colour, INTST</i>	<i>RWY End LGT colour WBAR</i>	<i>SWY LGT LEN(M) colour</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
17	NIL	Green Supplemented by WBAR	PAPI Left/3.3° (50FT)	NIL	NIL	2339 M 60 M White	Red	NIL	According to 140M DTHR RWY 17, THR LGTs and WBAR are installed
35	NIL	Green	NIL	NIL	NIL	2339 M 60 M White	Red	NIL	NIL

OIZI AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	<i>ABN location, characteristics and hours of operation</i>	On the top of the fire fighting building PSN at 271349N 0604305E with HGT 29 FT, FLG G and W, EV 5 sec, HN and during IMC
2	<i>LDI location and LGT</i> <i>Anemometer location and LGT</i>	NIL
3	<i>TWY edge and centre line lighting</i>	TWY Edeg lighted Centre line : NIL
4	<i>Secondary power supply/switch-over time</i>	Secondary power supply to all lighting at AD. Switch-over time: 10 - 15 sec.
5	<i>Remarks</i>	NIL

OIZI AD 2.16 HELICOPTER LANDING AREA

Information not available

OIZI AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	Iran shahr ATZ: A circle, radius 7 NM centred at 271344N 0604316E (ARP).
2	<i>Vertical limits</i>	5500 FT MSL
3	<i>Airspace classification</i>	G
4	<i>ATS unit call sign</i> <i>Language(s)</i>	Iran shahr Information English / Persian
5	<i>Transition altitude</i>	7500 FT MSL
6	<i>Remarks</i>	Transition level: FL 95

OIZI AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
AFIS	Iran shahr Information	122.700MHZ 121.900MHZ	HS HS	

OIZI AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, CAT of ILS (For VOR/ILS, give VAR)	ID	Frequency	Hours of operation	Site of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
NDB	ISR	309 KHZ	H24	271358.2N 0604303.2E		Power 2.5 KW
VOR/DME (2° E/2017)	ISR	117.000 MHZ CH 117X	H24	271403.8N 0604320.4E		
VOR/DME unusable in counter clockwise direction at 40 DME in the FLW area: 1- 320°- 270° BLW 11000FT AMSL. 2- 270°- 210° BLW 9000F TAMS L. 3- 210°- 120° BLW 10000FT AMSL. 4-120°- 020° BLW 10500FT AMSL. 5- 020°- 320° BLW 9000FT AMSL.						

OIZI AD 2.20 LOCAL TRAFFIC REGULATIONS

NIL

OIZI AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

OIZI AD 2.22 FLIGHT PROCEDURES**Traffic pattern is defined as below:**

- For fighter and heavy fixed-wing ACFT 3600 feet,
- For other fixed-wing ACFT 3100 feet and
- For helicopter 2600 feet.

Note: see AD 1.1.

OIZI AD 2.23 ADDITIONAL INFORMATION

1- Strolling animals exist on the movement area.

OIZI AD 2.24 CHARTS RELATED TO AN AERODROME

Aerodrome Chart - ICAO.....	AD 2 OIZI ADC
Standard Departure Chart - Instrument - ICAO	AD 2 OIZI SID 1-1
	AD 2 OIZI SID 2-1
Standard Arrival Chart - Instrument - ICAO.....	AD 2 OIZI STAR 1-1
Instrument Approach Chart - ICAO	AD 2 OIZI IAC 2-1
	AD 2 OIZI IAC 2-2
	AD 2 OIZI IAC 4-1
	AD 2 OIZI IAC 4-2
	AD 2 OIZI IAC 4-3
	AD 2 OIZI IAC 4-4