

AD 2. AERODROMES

OIBS AD 2.1 AERODROME LOCATION INDICATOR AND NAME

OIBS - SIRRI ISLAND / SIRRI / National

OIBS AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	<i>ARP coordinates and site at AD</i>	255430N 0543230E
2	<i>Direction and distance from (city)</i>	NIL
3	<i>Elevation / Reference temperature</i>	26 FT / 36.1°C
4	<i>MAG VAR / Annual change</i>	2° E (2014)
5	<i>AD Administration, address, telephone, telefax, telex, AFS</i>	Sirri Iranian Off Shore Oil Company Sirri Airport Sirri Island - Islamic Republic of Iran Tel : +9821 - 23940446 -09300930130-09300930131 Fax: +9821 - 23940867 Telex: NIL AFS: NIL
6	<i>Types of traffic permitted (IFR/VFR)</i>	IFR/VFR
7	<i>Remarks</i>	NIL

OIBS AD 2.3 OPERATIONAL HOURS

1	<i>AD Administration</i>	0230-1430(0130-1330)
2	<i>Customs and immigration</i>	NIL
3	<i>Health and sanitation</i>	NIL
4	<i>AIS Briefing Office</i>	NIL
5	<i>ATS Reporting Office (ARO)</i>	Service available by ATS
6	<i>MET Briefing Office</i>	NIL
7	<i>ATS</i>	HJ
8	<i>Fuelling</i>	HJ
9	<i>Handling</i>	NIL
10	<i>Security</i>	H24
11	<i>De-icing</i>	NIL
12	<i>Remarks</i>	Out of these times, PPR

→ **OIBS AD 2.4 HANDLING SERVICES AND FACILITIES**

1	<i>Cargo - handling facilities</i>	NIL
2	<i>Fuel / oil types</i>	Jet A1
3	<i>Fuelling facilities/capacity</i>	Jet A1: 2 trucks, 12000 litres, 20 litres/sec
4	<i>De - icing facilities</i>	NIL
5	<i>Hanger space for visiting aircraft</i>	NIL
6	<i>Repair facilities for visiting aircraft</i>	NIL
7	<i>Remarks</i>	NIL

OIBS AD 2.5 PASSENGER FACILITIES

NIL

OIBS AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	<i>AD category for fire fighting</i>	CAT 6
2	<i>Rescue equipment</i>	Available in accordance with AD category for fire fighting
3	<i>Capability for removal of disabled aircraft</i>	NIL
4	<i>Remarks</i>	NIL

OIBS AD 2.7 SEASONAL AVAILABILITY - CLEARING

All seasons / Not applicable

OIBS AD 2.8 APRONS, TAXIWAYS

1	<i>Apron surface and strength</i>	Surface: Asphalt Strength: Information not available
2	<i>Taxiway width, surface and strength</i>	Width: TWY NR1: 21M and TWY NR2: 11M Surface: Asphalt Strength: Information not available
3	<i>Remarks</i>	Apron dimensions: 118 x 50 M

OIBS AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	<i>Use of aircraft stand ID signs, TWY guide lines and parking guidance system of aircraft stands</i>	NIL
2	<i>RWY and TWY markings and LGT</i>	RWY: Designation, THR, TDZ, centre line, edge & RWY end RWY lighting: See OIBS AD 2.14 below TWY: Center line, edge marked TWY lighting: See OIBS AD 2.15 below
3	<i>Stop bars</i>	NIL
4	<i>Remarks</i>	NIL

OIBS AD 2.10 AERODROME OBSTACLES

<i>In approach / TKOF areas</i>			<i>In circling area and at AD</i>		<i>Remarks</i>
1			2		
<i>RWY/Area affected</i>	<i>Obstacle type Elevation/ HGT Markings/LGT</i>	<i>Coordinates</i>	<i>Obstacle type Elevation / HGT Markings/LGT</i>	<i>Coordinates</i>	
a	b	c	a	b	
			Antenna 345 FT AGL LGTD	255350N 0543226E	
			Mast 102 FT AGL LGTD	255419N 0543305E	
			Mast 158 FT AGL LGTD	460M right side of RWY 12 CL and 304M FM THR RWY 12	
			Mast 148 FT AGL NIL	255519N 0543142E	
			Mast 148 FT AGL NIL	255408N 0543221E	
			Mast 118 FT AGL NIL	255358N 0543247E	
			→ Mast 110 FT AGL NIL	255423.82N 0543221.96E	

OIBS AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	<i>Associated MET Office</i>	Sirri Island
2	<i>Hours of service</i> <i>MET Office outside hours</i>	0001 – 1500 --
9	<i>ATS units provided with information</i>	Sirri AFIS

Note: Subject concerning item 3 to 8 and 10 not available.

OIBS AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

<i>Designations RWY NR</i>	<i>TRUE & MAG BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength(PCN) and surface of RWY and SWY</i>	<i>THR coordinates</i>	<i>THR elevation and highest elevation of TDZ of precision APP RWY</i>
1	2	3	4	5	6
12	126° GEO 125° MAG	2486 x 45	46/F/A/X/T Asphalt	255459.63N 0543143.70E GUND -108 FT	THR 26 FT
30	306° GEO 305° MAG	2486 x 45	46/F/A/X/T Asphalt	255410.55N 0543257.64E GUND -108 FT	THR 1 FT
<i>Slope of RWY - SWY</i>	<i>SWY dimensions (M)</i>	<i>CWY dimensions (M)</i>	<i>Strip dimensions (M)</i>	<i>OFZ</i>	<i>Remarks</i>
7	8	9	10	11	12
0.3 %	NIL	NIL	NIL	NIL	NIL
0.3 %	66 x 45	66 x 150		NIL	NIL

OIBS AD 2.13 DECLARED DISTANCES

<i>RWY Designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Remarks</i>
1	2	3	4	5	6
12	2486	2486	2486	2486	NIL
30	2486	2552	2552	2486	NIL

OIBS AD 2.14 APPROACH AND RUNWAY LIGHTING

<i>RWY Designator</i>	<i>APCH LGT type LEN INTST</i>	<i>THR LGT colour WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ LGT LEN</i>	<i>RWY Centre Line LGT LEN, spacing, colour INTST</i>	<i>RWY edge LGT LEN, spacing colour, INTST</i>	<i>RWY End LGT colour WBAR</i>	<i>SWY LGT LEN colour</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
12	NIL	Green Supplemented by WBAR	NIL	NIL	NIL	2486 M 60 M White, LIH	Red Supplemented by WBAR	Red	NIL
30	SALS 300M LIL	Green Supplemented by WBAR	NIL	NIL	NIL	2486 M 60 M White, LIH	Red Supplemented by WBAR	Red	NIL

OIBS AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	<i>ABN location, characteristics and hours of operation</i>	On top of the Aerodrome control tower, FLG G and W, EV 2.5 sec HN and during IMC
2	<i>LDI location and LGT Anemometer location and LGT</i>	NIL
3	<i>TWY edge and centre line lighting</i>	TWY edge lighted
4	<i>Secondary power supply/switch-over time</i>	Available Switch-over time: 10 - 15 sec.
5	<i>Remarks</i>	NIL

OIBS AD 2.16 HELICOPTER LANDING AREA

NIL

OIBS AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	Sirri ATZ: A circle, radius 5 NM centred at 255430N 0543230E (ARP).
2	<i>Vertical limits</i>	2000 FT MSL
3	<i>Airspace classification</i>	G
4	<i>ATS unit call sign Language(s)</i>	Sirri Information English / Persian
5	<i>Transition altitude</i>	3000 FT MSL
6	<i>Remarks</i>	Transition level: FL 50

OIBS AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
AFIS	Sirri Information →	135.025 MHZ 121.500 MHZ 121.725 MHZ	HJ HJ HJ	Emergency frequency For ground movement

OIBS AD 2.19 RADIO NAVIGATION AND LANDING AIDS

<i>Type of aid, CAT of ILS (For VOR/ILS, give VAR)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Site of transmitting antenna coordinates</i>	<i>Elevation of DME transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
NDB	SIR	300 KHZ	H24	255409.9N 0543225.7E		
DVOR/DME (2° E / 2014)	SIR	113.750 MHZ CH 84Y	H24	255452.5N 0543206.3E	23 FT	

OIBS AD 2.20 LOCAL TRAFFIC REGULATIONS

NIL

OIBS AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

OIBS AD 2.22 FLIGHT PROCEDURES

NIL

OIBS AD 2.23 ADDITIONAL INFORMATION

- 1- Intensive bird's accumulation exists in the vicinity of AD.
- 2- Strolling animals exist on the movement area.

OIBS AD 2.24 CHARTS RELATED TO AN AERODROME

→ Aerodrome Chart – ICAO	AD 2 OIBS ADC
Standard Departure Chart - Instrument – ICAO	AD 2 OIBS SID 1-1 AD 2 OIBS SID 2-1
Standard Arrival Chart - Instrument – ICAO	AD 2 OIBS STAR 1-1 AD 2 OIBS STAR 2-1
Instrument Approach Chart – ICAO	AD 2 OIBS IAC 2-1 AD 2 OIBS IAC 2-2 AD 2 OIBS IAC 4-1