

AD 2. AERODROMES

OIBH AD 2.1 AERODROME LOCATION INDICATOR AND NAME

OIBH - BAHREGAN / National

OIBH AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	<i>ARP coordinates and site at AD</i>	295023N 0501620E
2	<i>Direction and distance from (city)</i>	SE 30 KM from Bandar Deylam
3	<i>Elevation / Reference temperature</i>	32 FT / 39°C
4	<i>MAG VAR / Annual change</i>	4° E (2021) / Information not available
5	<i>AD Administration, address, telephone, telefax, telex, AFS</i>	Bahregan Iranian Off Shore Oil Company Bahregan Airport Bahregan, Islamic Republic of Iran Tel: +9876 - 93338227 Telefax: +9877 - 33272430 Telex: NIL AFS: OIBHYDYX
6	<i>Types of traffic permitted (IFR/VFR)</i>	VFR
7	<i>Remarks</i>	NIL

OIBH AD 2.3 OPERATIONAL HOURS

1	<i>AD Administration</i>	HJ
2	<i>Customs and immigration</i>	NIL
3	<i>Health and sanitation</i>	NIL
4	<i>AIS Briefing Office</i>	NIL
5	<i>ATS Reporting Office (ARO)</i>	Service available by ATS
6	<i>MET Briefing Office</i>	NIL
7	<i>ATS</i>	HJ
8	<i>Fuelling</i>	NIL
9	<i>Handling</i>	HJ
10	<i>Security</i>	H24
11	<i>De-icing</i>	NIL
12	<i>Remarks</i>	Out of these times PPR

OIBH AD 2.4 HANDLING SERVICES AND FACILITIES

1	<i>Cargo - handling facilities</i>	Available by main carrier.
2	<i>Fuel / oil types</i>	NIL
3	<i>Fuelling facilities/capacity</i>	NIL
4	<i>De - icing facilities</i>	NIL
5	<i>Hanger space for visiting aircraft</i>	NIL
6	<i>Repair facilities for visiting aircraft</i>	NIL
7	<i>Remarks</i>	NIL

OIBH AD 2.5 PASSENGER FACILITIES

1	<i>Hotels</i>	Available in the city
2	<i>Restaurants</i>	Available in the city
3	<i>Transportation</i>	Taxi
4	<i>Medical facilities</i>	First aids and ambulance at aerodrome; Hospital in the city
5	<i>Bank and Post Office</i>	Available in the city
6	<i>Tourist Office</i>	NIL
7	<i>Remarks</i>	Passenger facilities are available by Iranian Off Shore Company.

OIBH AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	<i>AD category for fire fighting</i>	CAT 6
2	<i>Rescue equipment</i>	Available in accordance with AD category for fire fighting.
3	<i>Capability for removal of disabled aircraft</i>	NIL
4	<i>Remarks</i>	NIL

OIBH AD 2.7 SEASONAL AVAILABILITY - CLEARING

All seasons / Not applicable

OIBH AD 2.8 APRONS, TAXIWAYS

1	<i>Apron surface and strength</i>	Surface: Asphalt Strength: 22/F/D/Y/T
2	<i>Taxiway width, surface and strength</i>	Width: 23 M Surface: Asphalt Strength: 22/F/D/Y/T
3	<i>Remarks</i>	NIL

OIBH AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	<i>Use of aircraft stand ID signs, TWY guide lines and parking guidance system of aircraft stands</i>	NIL
2	<i>RWY and TWY markings and LGT</i>	RWY: Designation, THR, TDZ, centre line, edge & RWY end marked RWY Lighting: See OIBH AD 2.14 below. TWY: Centre line and holding position at TWY/RWY intersection marked TWY Lighting: See OIBH AD 2.15 below.
3	<i>Stop bars</i>	NIL
4	<i>Remarks</i>	NIL

OIBH AD 2.10 AERODROME OSBSTACLES

<i>In approach / TKOF areas</i>			<i>In circling area and at AD</i>		<i>Remarks</i>
1			2		
<i>RWY/Area affected</i>	<i>Obstacle type Elevation/ HGT Markings/LGT</i>	<i>Coordinates</i>	<i>Obstacle type Elevation / HGT Markings/LGT</i>	<i>Coordinates</i>	
a	b	c	a	b	
33 / APCH 15 / TKOF	Group of mast 394 FT AGL LGTD	294522N 0502220E	NDB 36 FT AGL NIL WATER TANK 75 FT AGL NIL Communication mast 180 FT AGL NIL Mast 138 FT AGL NIL Floodlights 79 FT AGL	295038.1N 0501602.1E 295030N 0501602E 294957N 0501557E 294934N 0501553E 334M before THR RWY 33, 301M left side of extended RWY CL	

→ OIBH AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	<i>Associated MET Office</i>	Bahregan
2	<i>Hours of service</i> <i>MET Office outside hours</i>	HJ O/R
3	<i>Office responsible for TAF preparation</i> <i>Periods of validity</i>	Information not available
4	<i>Type of landing forecast</i> <i>Interval of issuance</i>	Information not available
5	<i>Briefing/consultation provided</i>	Information not available
6	<i>Flight documentation</i> <i>Language(s) used</i>	Information not available
7	<i>Charts and other information available for</i> <i>briefing or consultation</i>	Information not available
8	<i>Supplementary equipment available for</i> <i>providing information</i>	Information not available
9	<i>ATS units provided with information</i>	Bahregan AFIS
10	<i>Additional information (limitation of service,</i> <i>etc.)</i>	Trend forecast not available

OIBH AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

<i>Designations</i> <i>RWY</i> <i>NR</i>	<i>TRUE BRG</i>	<i>Dimensions of</i> <i>RWY</i> <i>(M)</i>	<i>Strength (PCN)</i> <i>and surface of</i> <i>RWY and SWY</i>	<i>THR</i> <i>coordinates</i> <i>THR Geoid</i> <i>undulation</i>	<i>THR elevation and</i> <i>highest elevation of</i> <i>TDZ of precision APP</i> <i>RWY</i>
1	2	3	4	5	6
15	149.86°GEO	2201 x 30	22/F/D/Y/T Asphalt	295055.07N 0501600.94E GUND -59 FT	THR 24 FT
33	329.86°GEO	2201 x 30	22/F/D/Y/T Asphalt	294953.40N 0501642.21E GUND -59 FT	THR 32 FT
<i>Slope of</i> <i>RWY - SWY</i>	<i>SWY</i> <i>dimensions</i> <i>(M)</i>	<i>CWY</i> <i>dimensions</i> <i>(M)</i>	<i>Strip</i> <i>dimensions</i> <i>(M)</i>	<i>OFZ</i>	<i>Remarks</i>
7	8	9	10	11	12
0.11 %	61 x 45	61 x 150	NIL	NIL	NIL
0.11 %	60 x 45	60 x 150	NIL	NIL	NIL

OIBH AD 2.13 DECLARED DISTANCES

<i>RWY Designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Remarks</i>
1	2	3	4	5	6
15	2201	2262	2262	2201	NIL
33	2201	2261	2261	2201	NIL

OIBH AD 2.14 APPROACH AND RUNWAY LIGHTING

<i>RWY Designator</i>	<i>APCH LGT type LEN INTST</i>	<i>THR LGT colour WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ LGT LEN</i>	<i>RWY Centre Line LGT LEN, spacing, colour INTST</i>	<i>RWY edge LGT LEN, spacing colour, INTST</i>	<i>RWY End LGT colour WBAR</i>	<i>SWY LGT LEN colour</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
15	SALS 420M	Green Supplemented by WBAR	PAPI Left / 3° (45 FT)	NIL	NIL	2201 M 60 M White, LIH	Red	61 m Red	NIL
33	SALS 420M	Green Supplemented by WBAR	PAPI Left / 3° (45 FT)	NIL	NIL	2201 M 60 M White, LIH	Red	60 m Red	NIL

OIBH AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	<i>ABN location, characteristics and hours of operation</i>	On top of the control tower building, FLG G and W, EV 3 sec During IMC
2	<i>LDI location and LGT</i> <i>Anemometer location and LGT</i>	NIL
3	<i>TWY edge and centre line lighting</i>	Edge: Lighted Center Line: NIL
4	<i>Secondary power supply/switch-over time</i>	Secondary power supply to all lighting at AD. Switch-over time: 15 - 20 sec
5	<i>Remarks</i>	NIL

OIBH AD 2.16 HELICOPTER LANDING AREA

NIL

OIBH AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	Bahregan ATZ: A circle, radius 5 NM centred at 295023N 0501620E (ARP)
2	<i>Vertical limits</i>	2000 FT AMSL
3	<i>Airspace classification</i>	G
4	<i>ATS unit call sign</i> <i>Language(s)</i>	Bahregan Information English / Persian
5	<i>Transition altitude</i>	3000 FT AMSL
6	<i>Remarks</i>	NIL

OIBH AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
AFIS	Bahregan Information	135.025 MHZ 121.500 MHZ	HJ	Emergency frequency

OIBH AD 2.19 RADIO NAVIGATION AND LANDING AIDS

<i>Type of aid, CAT of ILS (For VOR/ILS, give VAR)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Site of transmitting antenna coordinates</i>	<i>Elevation of DME transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
NDB	BRG	400 KHZ	HJ	295038.1N 0501602.1E		
Bahregan NDB 400KHZ unusable beyond 8NM.						

OIBH AD 2.20 LOCAL TRAFFIC REGULATIONS

NIL

OIBH AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

OIBH AD 2.22 FLIGHT PROCEDURES

NIL

OIBH AD 2.23 ADDITIONAL INFORMATION

- 1- Strolling animals exist on the movement area.
- 2- Intensive birds' accumulation exists in the vicinity of AD particularly in winter period.
- 3- Medium aircraft are permitted to make 180 turn only at turn pad at the end of RWY 33.

OIBH AD 2.24 CHARTS RELATED TO AN AERODROME

Aerodrome Chart – ICAO AD 2 OIBH ADC